

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	64091	trench\$2	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/06 14:26
L2	405461	capacitor\$1	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/06 14:27
L3	509912	oxidiz\$3 or oxidation	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/06 14:27
L4	4535	implant\$3 near3 (angle\$2 or oblique\$2 or slant\$3 or inclin\$5)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/06 14:29
L5	174202	fluorine or fluorine or BF2 or "BF. Sub.2"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/06 14:30
L6	192839	collar\$1	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/06 14:30
L7	52	buried near1 (strap\$1or bridge\$1)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/06 14:31
L9	15	4 same 5 same 3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/06 14:34
L10	1	1 and 2 and 9	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/06 14:34
L11	14	9 not 10	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/06 14:35
L12	637	5 same implant\$5 same 3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/06 14:35
L13	15	9 or 10 or 11	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/06 14:35
L14	61	12 and 1 and 2	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/06 14:35
L15	60	14 not 13	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/06 14:42
L16	22	6 and 12	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/06 14:42

L17	75	13 or 14 or 15	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/06 14:43
L18	17	16 not 17	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/06 14:52
L19	92	17 or 18	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/06 14:53
L20	337	1 and 2 and 3 and 4	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/06 14:53
L21	0	20 and 6 and 7	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/06 14:53
L22	331	20 not 19	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/06 14:54
L23	0	22 and 7	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/06 14:54
L24	46	22 and 6	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/06 14:54
L25	285	22 not 24	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/06 14:54